

**BIZOL Green Oil + 5W-40**

Revision date: 08.11.2022

Page 1 of 7

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

BIZOL Green Oil + 5W-40

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Motor oil

**1.3. Details of the supplier of the safety data sheet**

Company name: BIZOL Germany GmbH  
Street: Martin-Buber-Str. 12  
Place: D-14163 Berlin  
Telephone: +49 (30) 804 869-0 Telefax: +49 (30) 804 869-2860  
e-mail: support@bizol.de  
Internet: www.bizol.com

**1.4. Emergency telephone number:**

Germany: +49 (30) 804 869-0 (08.00-17.00, Mo-Fr)  
In England and Wales: NHS Direct: 0845 4647 or 111 In Scotland: NHS 24 -  
08454 24 24 24 In Republic of Ireland: 01 809 2166

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

**2.2. Label elements****GB CLP Regulation****Special labelling of certain mixtures**

EUH210 Safety data sheet available on request.

**2.3. Other hazards**

No further relevant information available.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Mixture based on mineral oil and hydrocrack synthetic oil (DMSO extract &lt; 3 % as measured by IP 346).

**Hazardous components**

| CAS No     | Chemical name   |              |                  | Quantity     |
|------------|---|--------------|------------------|--------------|
|            | EC No   | Index No     | REACH No         |              |
|            | Classification (GB CLP Regulation)                        |              |                  |              |
| 64742-54-7 | distillates (petroleum), hydrotreated heavy paraffinic    |              |                  | 25 - < 100 % |
|            | 265-157-1   | 649-467-00-8 | 01-2119484627-25 |              |
|            | Asp. Tox. 1; H304   |              |                  |              |
| 64742-65-0 | distillates (petroleum), solvent-dewaxed heavy paraffinic |              |                  | 1 - < 2.5 %  |
|            | 265-169-7   | 649-474-00-6 | 01-2119471299-27 |              |
|            | Asp. Tox. 1; H304   |              |                  |              |

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

| CAS No     | EC No  | Chemical name  | Quantity     |
|------------|--|--|--------------|
|            | Specific Conc. Limits, M-factors and ATE                   |  |              |
| 64742-54-7 | 265-157-1  | distillates (petroleum), hydrotreated heavy paraffinic | 25 - < 100 % |
|            | dermal: LD50 = > 5000,0 mg/kg; oral: LD50 = > 5000,0 mg/kg |  |              |

**BIZOL Green Oil + 5W-40**

Revision date: 08.11.2022

Page 2 of 7

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

When in doubt or if symptoms are observed, get medical advice. If unconscious but breathing normally, place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

**After inhalation**

Remove casualty to fresh air and keep warm and at rest.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap.

**After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

**After ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Let water be drunken in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

**4.2. Most important symptoms and effects, both acute and delayed**

When in doubt or if symptoms are observed, get medical advice.

**4.3. Indication of any immediate medical attention and special treatment needed**

No information available.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media**

Full water jet.

**5.2. Special hazards arising from the substance or mixture**

Hazardous decomposition products: Carbon monoxide Carbon dioxide (CO<sub>2</sub>). Do not inhale explosion and combustion gases.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Protective measures: see section 7 + 8.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

**6.3. Methods and material for containment and cleaning up****Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Protective measures: see section 7 + 8.

**SECTION 7: Handling and storage**

## BIZOL Green Oil + 5W-40

Revision date: 08.11.2022

Page 3 of 7

### 7.1. Precautions for safe handling

#### Advice on safe handling

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols.

#### Advice on protection against fire and explosion

No special measures are necessary.

#### Advice on general occupational hygiene

When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Protect against: Frost. Keep away from heat. Protect from direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

### 7.3. Specific end use(s)

Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### DNEL/DMEL values

| CAS No                   | Substance   | Exposure route | Effect | Value                  |
|--------------------------|---|----------------|--------|------------------------|
| DNEL type                |   |                |        |                        |
| 64742-54-7               | distillates (petroleum), hydrotreated heavy paraffinic    |                |        |                        |
| Consumer DNEL, long-term |   | inhalation     | local  | 1,2 mg/m <sup>3</sup>  |
| Worker DNEL, long-term   |   | inhalation     | local  | 5,4                    |
| 64742-65-0               | distillates (petroleum), solvent-dewaxed heavy paraffinic |                |        |                        |
| Worker DNEL, long-term   |   | inhalation     | local  | 5,40 mg/m <sup>3</sup> |
| Consumer DNEL, long-term |   | inhalation     | local  | 1,20 mg/m <sup>3</sup> |

#### PNEC values

| CAS No                    | Substance   | Value      |
|---------------------------|---|------------|
| Environmental compartment |   |            |
| 64742-54-7                | distillates (petroleum), hydrotreated heavy paraffinic    |            |
| Secondary poisoning       |   | 9,33 mg/kg |
| 64742-65-0                | distillates (petroleum), solvent-dewaxed heavy paraffinic |            |
| Secondary poisoning       |   | 9,33 mg/kg |

#### Additional advice on limit values

- a no restriction
- b End of exposure or end of shift
- c at long-term exposure:
- d before next shift

Y: A risk of reproductive effects needs not to be feared if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept

Z: A risk of reproductive effects cannot to be excluded if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept

blood (B)

Urine (U)

### 8.2. Exposure controls

#### Appropriate engineering controls

See section 7. No additional measures necessary.

#### Individual protection measures, such as personal protective equipment

## BIZOL Green Oil + 5W-40

Revision date: 08.11.2022

Page 4 of 7

### Eye/face protection

Eye glasses with side protection.

### Hand protection

Wear suitable gloves. Recommended glove articles: EN ISO 374. Suitable material: NBR (Nitrile rubber). Breakthrough time: > 480 min (Thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

### Skin protection

Protective clothing.

### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. When splashes or fine mist form, a permitted breathing apparatus suitable for these purposes must be used. Suitable respiratory protection apparatus: Filtering Half-face mask (EN 149), e.g. FFA P / FFP3.

### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                 |                |
|-----------------|----------------|
| Physical state: | Liquid         |
| Colour:         | green          |
| Odour:          | characteristic |

|   | Test method                 |
|---|-----------------------------|
| Melting point/freezing point:                             | not determined              |
| Boiling point or initial boiling point and boiling range: | not determined              |
| Flammability  |                             |
| Solid/liquid:   | not determined              |
| Lower explosion limits:                                   | 0,9 vol. %                  |
| Upper explosion limits:                                   | 7,0 vol. %                  |
| Flash point:  | >= 230 °C EN ISO 2592       |
| Auto-ignition temperature:                                | not determined              |
| Decomposition temperature:                                | not determined              |
| pH-Value:   | not applicable              |
| Viscosity / kinematic:<br>(at 40 °C)                      | 78 mm²/s ASTM D 7042        |
| Water solubility:   | insoluble                   |
| Partition coefficient n-octanol/water:                    | not determined              |
| Vapour pressure:<br>(at 20 °C)                            | < 0,1 hPa                   |
| Density (at 15 °C):                                       | 0,85 g/cm³ DIN EN ISO 12185 |
| Relative vapour density:                                  | not determined              |
| Particle characteristics:                                 | not applicable              |

### 9.2. Other information

#### Other safety characteristics

|  |                    |
|--|--------------------|
| Pour point:                                | -36 °C ASTM D 7346 |
| Viscosity / dynamic:                       | not determined     |
| Flow time:                                 | not determined     |
| No further relevant information available. |                    |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

**BIZOL Green Oil + 5W-40**

Revision date: 08.11.2022

Page 5 of 7

**10.2. Chemical stability**

No information available.

**10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4. Conditions to avoid**

Heat.

**10.5. Incompatible materials**

No information available.

**10.6. Hazardous decomposition products**

No information available.

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in GB CLP Regulation**

**Acute toxicity**

Based on available data, the classification criteria are not met.

| CAS No     | Chemical name  |                     |         |        |        |
|------------|--|---------------------|---------|--------|--------|
|            | Exposure route   | Dose                | Species | Source | Method |
| 64742-54-7 | distillates (petroleum), hydrotreated heavy paraffinic |                     |         |        |        |
|            | oral   | LD50 > 5000,0 mg/kg | Rat     |        |        |
|            | dermal   | LD50 > 5000,0 mg/kg | Rabbit  |        |        |

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards**

**Other information**

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel.

**SECTION 12: Ecological information**

**12.1. Toxicity**

There are no data available on the mixture itself.

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**BIZOL Green Oil + 5W-40**

Revision date: 08.11.2022

Page 6 of 7

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No data available

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

**List of Wastes Code - residues/unused products**

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

**Contaminated packaging**

Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal.

**SECTION 14: Transport information****Land transport (ADR/RID)**

|  |  |
|--|--|
| <b>14.1. UN number or ID number:</b>     | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b>    | No dangerous good in sense of this transport regulation. |
| <b>14.3. Transport hazard class(es):</b> | No dangerous good in sense of this transport regulation. |
| <b>14.4. Packing group:</b>              | No dangerous good in sense of this transport regulation. |

**Marine transport (IMDG)**

|  |  |
|--|--|
| <b>14.1. UN number or ID number:</b>     | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b>    | No dangerous good in sense of this transport regulation. |
| <b>14.3. Transport hazard class(es):</b> | No dangerous good in sense of this transport regulation. |
| <b>14.4. Packing group:</b>              | No dangerous good in sense of this transport regulation. |

Marine pollutant: NO

**Air transport (ICAO-TI/IATA-DGR)**

|  |  |
|--|--|
| <b>14.1. UN number or ID number:</b>     | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b>    | No dangerous good in sense of this transport regulation. |
| <b>14.3. Transport hazard class(es):</b> | No dangerous good in sense of this transport regulation. |
| <b>14.4. Packing group:</b>              | No dangerous good in sense of this transport regulation. |

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

No data available

**14.7. Maritime transport in bulk according to IMO instruments**

No data available

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):  
Entry 75

|   |  |
|---|--|
| 2010/75/EU (VOC):                                 | 0 %                                    |
| Information according to 2012/18/EU (SEVESO III): | Not subject to 2012/18/EU (SEVESO III) |

**National regulatory information**

**BIZOL Green Oil + 5W-40**

Revision date: 08.11.2022

Page 7 of 7

Water hazard class (D):

1 - slightly hazardous to water

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

**Abbreviations and acronyms**

ADR: Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulations concerning the International Carriage of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

CAS: Chemical Abstracts Service (a division of the American Chemical Society)

DNEL/DMEL: Derived No-Effect Level / Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

WEL (UK): Workplace Exposure Limits

TWA (EC): Time-Weighted Average

STEL (EC): Short Term Exposure Limit

ATE: Acute Toxicity Estimate

LD50: Lethal Dose, 50% (median lethal dose)

LC50: Lethal Concentration, 50% (median lethal concentration)

EC50: half maximal Effective Concentration

ErC50: EC50 in terms of reduction of growth rate

AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

**Relevant H and EUH statements (number and full text)**

H304 May be fatal if swallowed and enters airways.

EUH210 Safety data sheet available on request.

**Further Information**

Safety Data Sheet according to COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*